


Female Run Tees



Fractional tube to NPT

RELYLOK Basic Part No.	T Tube O.D.	P NPT Thread	A in. [mm]	B in. [mm]	E in. [mm]	F Hex	G Hex
-2-32R-2	1/8	1/8	1.94 [49.3]	0.41 [10.4]	0.09 [2.3]	9/16	7/16
-3-32R-2	3/16	1/8	2.02 [51.3]	0.41 [10.4]	0.12 [3]	9/16	1/2
-4-32R-2	1/4	1/8	2.12 [53.8]	0.41 [10.4]	0.19 [4.8]	9/16	9/16
-4-32R-4		1/4	2.34 [59.4]	0.59 [15]		3/4	
-5-32R-2	5/16	1/8	2.34 [59.4]	0.41 [10.4]	0.25 [6.4]	9/16	5/8
-6-32R-4	3/8	1/4	2.46 [62.5]	0.59 [15]	0.28 [7.1]	3/4	11/16
-6-32R-6		3/8	2.62 [66.5]			7/8	
-6-32R-8		1/2	2.84 [72.1]	0.78 [19.8]		1 1/16	
-8-32R-4	1/2	1/4	2.84 [72.1]	0.59 [15]	0.41 [10.4]	13/16	7/8
-8-32R-6		3/8				7/8	
-8-32R-8		1/2	1/2	3.06 [77.7]		0.78 [19.8]	
-10-32R-8	5/8	1/2	3.06 [77.7]	0.78 [19.8]	0.50 [12.7]	1 1/16	1
-12-32R-12	3/4	3/4	3.52 [89.4]	0.81 [20.6]	0.62 [15.7]	1 1/4	1 1/8
-14-32R-12	7/8	3/4	3.52 [89.4]	0.81 [20.6]	0.72 [18.3]	1 3/8	1 1/4
-16-32R-12	1	3/4	3.86 [98]	0.81 [20.6]	0.88 [22.4]	1 3/8	1 1/2
-16-32R-16		1	4.22 [107.2]	1.00 [25.4]		1 5/8	

Metric tube to NPT

RELYLOK Basic Part No.	T Tube O.D.	P NPT Thread (in.)	A mm.	B mm.	E mm.	F Hex (in.)	G Hex
-M6-32R-2	6	1/8	53.9	10.4	4.8	9/16	14
-M6-32R-4		1/4	59.5	15.0		3/4	
-M8-32R-2	8	1/8	59.7	10.4	6.4	9/16	16
-M8-32R-4		1/4	61.2	15.0		3/4	
-M10-32R-4	10	1/4	67.0	15.0	7.9	11/16	19
-M12-32R-2	12	1/8	72.0	10.4	9.5	13/16	22
-M12-32R-4		1/4		15.0		7/8	
-M12-32R-6		3/8	1 1/16				
-M12-32R-8		1/2	19.8	1 1/16			
-M16-32R-8	16	1/2	77.6	19.8	12.7	1 1/16	25

See Ordering Information and Technical Specifications on page 4.